

## [IPB 3] Highslide html com Postador V 0.7

Olá pessoal,

Veio aqui, mesmo antes de postar para download o gerador - postador v 0.7 o tutorial para criarem o bbcode detalhes que será necessário para usar o portal, conforme já tem tutoriais por aí, porém esse tutorial é destinando apenas a versão ipb3.

Essa é a última versão do highslide, porém é uma versão reduzida e adaptada para trabalhar com o html no portal do IPB.

Veja no link abaixo mais informações de como configurar o highslide e seus recursos:

[Higslide configurator](#)

Na versão deste tutorial está apenas:

- Core: padrão pra funcionar
- Inline HTML popup: extensão para abrir pop-up.

Primeiro baixe o arquivo anexado abaixo chamado shot\_ipb3.rar

Extraia seu conteúdo e envia a pasta shot para o mesmo diretório do fórum, exemplo:

se seu site está [www.seusite.com/forum](http://www.seusite.com/forum), você deverá enviar para a pasta fórum, porém se seu ipb está no diretório raiz, envie a pasta shot também para o diretório raiz.

### Admin CP>Look & Feel>sua skin>Manage Templates & CSS

Procure no globalTemplate:

```
inACP = false;  
</script>
```

Adicione abaixo:

```
<script type="text/javascript" src="{ $this->settings['board_url'] }/shot/sh  
<script type="text/javascript">  
  hs.graphicsDir = '{ $this->settings['board_url'] }/shot/img/';  
  hs.outlineType = 'rounded-white';  
  hs.wrapperClassName = 'draggable-header';  
</script>
```

### Admin CP>Look & Feel>sua skin>Manage Templates & CSS> aba CSS > Add CSS File:

Coloque um nome na janela que se abrir, por exemplo shot.

No campo cole o seguinte CSS e salve:

```
/* *****  
/* Styles for the HTML popups */  
/* Remove these if you are not using Highslide HTML */  
/* *****  
.highslide-maincontent {  
  display: none;  
}  
.highslide-html {  
  background-color: white;  
  border: 1px solid #ccc;
```

```
-moz-border-radius: 6px;
-webkit-border-radius: 6px;
}
.highslide-html-content {
display: none;
width: 180px;
padding: 0 5px 5px 5px;
}
.highslide-header {
padding-bottom: 5px;
}
.highslide-header ul {
margin: 0;
padding: 0;
text-align: right;
}
.highslide-header ul li {
display: inline;
padding-left: 1em;
}
.highslide-header ul li.highslide-previous, .highslide-header ul li.highslid
display: none;
}
.highslide-header a {
font-weight: bold;
color: gray;
text-transform: uppercase;
text-decoration: none;
}
.highslide-header a:hover {
color: black;
}
.highslide-header .highslide-move a {
cursor: move;
}
.highslide-footer {
height: 16px;
}
.highslide-footer .highslide-resize {
display: block;
float: right;
margin-top: 5px;
height: 11px;
width: 11px;
background: url(img/resize.gif) no-repeat;
}
.highslide-footer .highslide-resize span {
display: none;
}
.highslide-body {
}
.highslide-resize {
cursor: nw-resize;
```

```
}
```

```
/* *****  
/* Styles for the Individual wrapper class names. */  
/* See www.highslide.com/ref/hs.wrapperClassName */  
/* You can safely remove the class name themes you don't use */  
/* *****
```

```
/* hs.wrapperClassName = 'draggable-header' */
```

```
.draggable-header .highslide-header {  
  height: 18px;  
  border-bottom: 1px solid #dddddd;  
}
```

```
.draggable-header .highslide-heading {  
  position: absolute;  
  margin: 2px 0.4em;  
}
```

```
.draggable-header .highslide-header .highslide-move {  
  cursor: move;  
  display: block;  
  height: 16px;  
  position: absolute;  
  right: 24px;  
  top: 0;  
  width: 100%;  
  z-index: 1;  
}
```

```
.draggable-header .highslide-header .highslide-move * {  
  display: none;  
}
```

```
.draggable-header .highslide-header .highslide-close {  
  position: absolute;  
  right: 2px;  
  top: 2px;  
  z-index: 2;  
  padding: 0;  
}
```

```
.draggable-header .highslide-header .highslide-close a {  
  display: block;  
  height: 16px;  
  width: 16px;  
  background-image: url(./shot/img/closeX.png);  
}
```

```
.draggable-header .highslide-header .highslide-close a:hover {  
  background-position: 0 16px;  
}
```

```
.draggable-header .highslide-header .highslide-close span {  
  display: none;  
}
```

```
.draggable-header .highslide-maincontent {  
  padding-top: 1em;  
}
```

```

/* hs.wrapperClassName = 'titlebar' */
.titlebar .highslide-header {
  height: 18px;
  border-bottom: 1px solid #dddddd;
}
.titlebar .highslide-heading {
  position: absolute;
  margin: 1px 0.4em;
  color: #666666;
}

.titlebar .highslide-header .highslide-move {
  cursor: move;
  display: block;
  height: 16px;
  position: absolute;
  right: 24px;
  top: 0;
  width: 100%;
  z-index: 1;
}
.titlebar .highslide-header .highslide-move * {
  display: none;
}
.titlebar .highslide-header li {
  position: relative;
  top: 3px;
  z-index: 2;
  padding: 0 0 0 1em;
}
.titlebar .highslide-maincontent {
  padding-top: 1em;
}

/* hs.wrapperClassName = 'no-footer' */
.no-footer .highslide-footer {
  display: none;
}

/* hs.wrapperClassName = 'wide-border' */
.wide-border {
  background: white;
}
.wide-border .highslide-image {
  border-width: 10px;
}
.wide-border .highslide-caption {
  padding: 0 10px 10px 10px;
}

/* hs.wrapperClassName = 'borderless' */
.borderless .highslide-image {
  border: none;
}

```

```

}
.borderless .highslide-caption {
border-bottom: 1px solid white;
border-top: 1px solid white;
background: silver;
}

/* hs.wrapperClassName = 'outer-glow' */
.outer-glow {
background: #444;
}
.outer-glow .highslide-image {
border: 5px solid #444444;
}
.outer-glow .highslide-caption {
border: 5px solid #444444;
border-top: none;
padding: 5px;
background-color: gray;
}

/* hs.wrapperClassName = 'colored-border' */
.colored-border {
background: white;
}
.colored-border .highslide-image {
border: 2px solid green;
}
.colored-border .highslide-caption {
border: 2px solid green;
border-top: none;
}

/* hs.wrapperClassName = 'dark' */
.dark {
background: #111;
}
.dark .highslide-image {
border-color: black black #202020 black;
background: gray;
}
.dark .highslide-caption {
color: white;
background: #111;
}
.dark .highslide-controls,
.dark .highslide-controls ul,
.dark .highslide-controls a {
background-image: url(img/controlbar-black-border.gif);
}

/* hs.wrapperClassName = 'floating-caption' */
.floating-caption .highslide-caption {

```

```
position: absolute;
padding: 1em 0 0 0;
background: none;
color: white;
border: none;
font-weight: bold;
}

/* hs.wrapperClassName = 'controls-in-heading' */
.controls-in-heading .highslide-heading {
color: gray;
font-weight: bold;
height: 20px;
overflow: hidden;
cursor: default;
padding: 0 0 0 22px;
margin: 0;
background: url(img/icon.gif) no-repeat 0 1px;
}
.controls-in-heading .highslide-controls {
width: 105px;
height: 20px;
position: relative;
margin: 0;
top: -23px;
left: 7px;
background: none;
}
.controls-in-heading .highslide-controls ul {
position: static;
height: 20px;
background: none;
}
.controls-in-heading .highslide-controls li {
padding: 0;
}
.controls-in-heading .highslide-controls a {
background-image: url(img/controlbar-white-small.gif);
height: 20px;
width: 20px;
}

.controls-in-heading .highslide-controls .highslide-move {
display: none;
}

.controls-in-heading .highslide-controls .highslide-previous a {
background-position: 0 0;
}
.controls-in-heading .highslide-controls .highslide-previous a:hover {
background-position: 0 -20px;
}
.controls-in-heading .highslide-controls .highslide-previous a.disabled {
```

```

background-position: 0 -40px !important;
}
.controls-in-heading .highslide-controls .highslide-play a {
background-position: -20px 0;
}
.controls-in-heading .highslide-controls .highslide-play a:hover {
background-position: -20px -20px;
}
.controls-in-heading .highslide-controls .highslide-play a.disabled {
background-position: -20px -40px !important;
}
.controls-in-heading .highslide-controls .highslide-pause a {
background-position: -40px 0;
}
.controls-in-heading .highslide-controls .highslide-pause a:hover {
background-position: -40px -20px;
}
.controls-in-heading .highslide-controls .highslide-next a {
background-position: -60px 0;
}
.controls-in-heading .highslide-controls .highslide-next a:hover {
background-position: -60px -20px;
}
.controls-in-heading .highslide-controls .highslide-next a.disabled {
background-position: -60px -40px !important;
}
.controls-in-heading .highslide-controls .highslide-full-expand a {
background-position: -100px 0;
}
.controls-in-heading .highslide-controls .highslide-full-expand a:hover {
background-position: -100px -20px;
}
.controls-in-heading .highslide-controls .highslide-full-expand a.disabled {
background-position: -100px -40px !important;
}
.controls-in-heading .highslide-controls .highslide-close a {
background-position: -120px 0;
}
.controls-in-heading .highslide-controls .highslide-close a:hover {
background-position: -120px -20px;
}

/*****
/* Styles for text based controls.                                     */
/* You can safely remove this if you don't use text based controls    */
/*****

.text-controls .highslide-controls {
width: auto;
height: auto;
margin: 0;
text-align: center;
background: none;

```

```
}
.text-controls ul {
  position: static;
  background: none;
  height: auto;
  left: 0;
}
.text-controls .highslide-move {
  display: none;
}
.text-controls li {
  background-image: url(graphics/controlbar-text-buttons.png);
  background-position: right top !important;
  padding: 0;
  margin-left: 15px;
  display: block;
  width: auto;
}
.text-controls a {
  background: url(graphics/controlbar-text-buttons.png) no-repeat;
  background-position: left top !important;
  position: relative;
  left: -10px;
  display: block;
  width: auto;
  height: auto;
  text-decoration: none !important;
}
.text-controls a span {
  background: url(graphics/controlbar-text-buttons.png) no-repeat;
  margin: 1px 2px 1px 10px;
  display: block;
  min-width: 4em;
  height: 18px;
  line-height: 18px;
  padding: 1px 0 1px 18px;
  color: #333;
  font-family: "Trebuchet MS", Arial, sans-serif;
  font-size: 12px;
  font-weight: bold;
  white-space: nowrap;
}
.text-controls .highslide-next {
  margin-right: 1em;
}
.text-controls .highslide-full-expand a span {
  min-width: 0;
  margin: 1px 0;
  padding: 1px 0 1px 10px;
}
.text-controls .highslide-close a span {
  min-width: 0;
}
```

```

.text-controls a:hover span {
  color: black;
}
.text-controls a.disabled span {
  color: #999;
}

.text-controls .highslide-previous span {
  background-position: 0 -40px;
}
.text-controls .highslide-previous a.disabled {
  background-position: left top !important;
}
.text-controls .highslide-previous a.disabled span {
  background-position: 0 -140px;
}
.text-controls .highslide-play span {
  background-position: 0 -60px;
}
.text-controls .highslide-play a.disabled {
  background-position: left top !important;
}
.text-controls .highslide-play a.disabled span {
  background-position: 0 -160px;
}
.text-controls .highslide-pause span {
  background-position: 0 -80px;
}
.text-controls .highslide-next span {
  background-position: 0 -100px;
}
.text-controls .highslide-next a.disabled {
  background-position: left top !important;
}
.text-controls .highslide-next a.disabled span {
  background-position: 0 -200px;
}
.text-controls .highslide-full-expand span {
  background: none;
}
.text-controls .highslide-full-expand a.disabled {
  background-position: left top !important;
}
.text-controls .highslide-close span {
  background-position: 0 -120px;
}

```

**Vá em: Look & Feel>BBCode Management>Add BBCode**

Custom BBCode: detalhes

Custom BBCode Tag: detalhes

Use Option in tag? yes

Custom BBCode Replacement:

```
<a href="javascript:void(0);" onclick="return hs.htmlExpand(this, { contentI
<div class="highslide-html-content" id="highslide-{option}">
<div class="highslide-header">
  <ul>
    <li class="highslide-close">
      <a href="#" title="Fechar" onclick="return hs.close(this)"><span>Fechar</
    </li>
  </ul>
</div>
{content}
</div>
```

Which groups can use this BBCode? All current and future groups

Where can the BBCode be used? Available in all sections

Adicione o BBCode.

Pronto, seu ipb3 estará pronto para o portal do gerador - postador v0.7.